

INDEX MAPS.

T. 6N R. 3W 2nd Mer.

	329	329	329	328	328	328						
331	6	351	5	351	4	351	3	351	2	352	1	327
	349		349		345		342		340		335	
331	7	348	8	345	9	341	10	340	11	334	12	327
	349		348		344		341		340		334	
331	18	348	17	344	16	341	15	339	14	334	13	327
	350		347		344		339		337		333	
330	19	347	20	343	21	339	22	337	23	333	24	326
	350		346		343		338		336		333	
331	30	346	29	343	28	338	27	336	26	332	25	326
	350		346		342		338		336		332	
330	31	345	32	342	33	337	34	335	35	332	36	326
	323-325		323-325		325-324		323-324		323-324		324	

T. 7N R. 3W 2nd Mer.

	361	360	360	359	359	359						
362	6	381	5	378	4	374	3	370	2	367	1	358
	381		381		377		374		370		366	
362	7	381	8	377	9	373	10	370	11	366	12	358
	382		380		377		373		369		365	
362	18	380	17	376	16	373	15	369	14	365	13	358
	382		380		376		372		368		365	
361	19	379	20	376	21	372	22	368	23	364	24	357
	382		379		375		372		368		364	
361	30	379	29	375	28	371	27	368	26	364	25	357
	383		378		375		371		367		363	
361	31	378	32	374	33	371	34	367	35	363	36	357
	356		356		356		355		355		355	

☞ The figures on the lines refer to the page.

Township No 7 North of Range No 3 West 2nd Mer. Sec. 36

Ch. 1/2 Sec.

South Boundary

West
 40.00 On the South Boundary of sec. 36 T. No 7. N.R. No 3 W.
 Set a post for the cor. of 1/4 sec. from which a
 W. Oak 8 in dia. bears S 65 E. 8 links dist; and a
 W. Oak. 20 " " " N 45 W. 26 " "
 50.00 To a brook 100 links wide, Corner South
 80.00 Set a post for the cor. of sec. 35 & 36 from which a
 Birch 12 in dia. bears S 39 E. 9 links dist; and a
 Sugar 12 " " " N 57 W. 37 " "
 Withy post Oak Land.

West
 38.00 On the South Boundary of sec. 35 T. No 7. N.R. No 3 W.
 To a Brook 6 links wide, Corner South
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Log mode 4 in dia. bears S 57 E. 14 links dist; to
 Birch 4 " " " N 81 W. 20 " "
 80.00 Set a post for the cor. of Sec 34 & 35 in a Spring run-
 ning South. from which a
 Birch 14 in dia. bears S 50 E. 11 links dist; and a
 Do. 9 " " " N 63 W. 20 " "
 Lande good & level; Timber Oak

West
 15.00 On the South Boundary of sec. 34 T. No 7. N.R. No 3 W.
 To a Brook 3 links wide, Corner South
 20.00 " " 10 " " " " S. E.
 40.00 Set a post for the cor. of 1/4 sec. from which a
 W. Oak. 24 in. dia. bears N 53 W. 20 links dist; to
 W. Oak 18 " " " S 74 E. 43 " "
 70.00 To a Brook 3 links wide, Corner S.
 80.00 Set a post for the cor. of sec. 33 & 34 from which a
 Hick. 18 in dia. bears N 6 W. 13 links dist; to
 W. Oak 16 " " " N 73 E. 23 " "
 Withy, Oak land.

T. N. 7. N. R. No 3 M. 2nd Mer. Ind^o

West	On the South Boundary of sec. 33. T. N. 7. N. R. No 3 M.
25.00	To a Birch 3 miles wide, Course N
28.75	To a Poplar 36 in dia. stands in the line
40.00	Set a post for the cor. of 1/4 sec. from which a Kick 18 in dia. bears S 63 W. 9 miles due; to Poplar 9 " " " N 77 E. 12 " "
80.00	Set a post for the cor. of sec. 32 & 33 from which a Kick 10 in dia. bears N 46 E 16 miles due; to Birch 12 " " " S 30 E. 20 " " Good hilly Oak lands
West	On the South Boundary of sec. 32. T. N. 7. N. R. No 3 M.
34.00	To a B. Oak 24 in dia. stands in the line.
40.00	Set a post for the cor. of 1/4 sec. from which a Ash 6 in dia. bears S 57 W. 4 miles due; and a Do. 7 " " " N 62 E 17 " "
80.00	Transfer cor. of sec. 31 & 32 from which a Sugar 19 in dia. bears S 49 W. 40 miles due; to Do. 9 " " " N 23 E. 38 " " Wooded Oak lands.
	April 8 th 1811
West	On the South Boundary of sec. 31 T. N. 7. N. R. No 3 M.
0.10	To a Birch 6 miles wide, Course S W.
35.00	" " Do. 4 " " " " " " " "
40.00	Set a post for the cor. of 1/4 sec. from which a Oak 24 in dia. bears S 29 W. 8 miles due; and a Sugar 9 " " " N 23 E. 32 " "
44.00	To a Birch 25 miles wide, Course N. W.
48.00	To D. Do. 25 " " " " S W.
53.00	" 2 ^o Do. 25 " " " " N W.
60.00	" 2 ^o Do. 25 " " " " S W.
68.00	" 2 ^o Do. 25 " " " " N W.

T. N^o 7. N. R. N^o 37. 2nd Mer. (Sec^o)

80.00	Set a tumpst post for the cor. of Sec^o 6 & 7. N ^o 7. 3 & 4 N. and went in search of the Range line and could not find it.
East Boundary	
North	On the East Boundary of sec. 36. T. N ^o 7. N. R. N ^o 37.
35.50	To a Poplar 36 mi dist. Woods in the line
40.00	Set a post for the cor. of 1/4 sec. from which a Pech. 8 in dia: bears S 42 N. 17 miles dist; and as Sugar 8 " " " N 27 N. 16 " "
49.50	To a Brook. 10 miles wide, Course N.
80.00	Set a post for the cor. of sec. 25. 136. from which a Pech. 16 in dia: bears N 71 N. 12 miles dist; & a W. Oak 30 " " " N 80 E. 10 " " Holly Oak, Sande;
North	On the East Boundary of sec. 25. T. N ^o 7. N. R. N ^o 37.
22.00	To a Brook 75 miles wide, Course S N.
40.00	Set a post for the cor. of 1/4 sec. from which a Pech. 24 in dia: bears S 33 E. 20 miles dist; & a Ho. 14 " " " S 83 N. 23 " "
80.00	Set a post for the cor. of sec. 24 & 25 from which a Pech. 18 in. dia: bears S 56 E. 12 miles dist; & a Sawwood Oak " " " N 75 N. 14 " " Woodlands; Timber Sugar Oak, &c
North	On the East Boundary of sec. 24. T. N ^o 7. N. R. N ^o 37.
38.00	To a Brook. 3 miles wide, Course S. E.
40.00	Set a post for the cor. of 1/4 sec. from which a Sugar 5 in. dia: bears S 30 E. 25 miles dist; & a Ho. 6 " " " N 12 N. 15 " "
56.00	To a Brook. 3 miles wide, Course N.
76.00	" " Ho. 5 " " " " N.

T. N. 7. N. R. N. 3 N. 2nd Mer. Ind. 5

80.00	Set a post for the cor. of sec. 13. & 24 from which W. Oak 30 in. dir. bears S 48 N. 12 miles dir; & S Buck 8 " " N 56 E. 8 " " Lands pt. p goods timber Buck, Sugar Oak. " 2 nd p Land.
North 15.00 17.00 40.00	On the East Boundary of sec. 13. T. N. 7. N. R. N. 3 N. To a Brook 10 miles wide, Course N " " Sugar 10 in. dir. stands on the line Set a post for the cor. of 1/4 sec. from which Buck 16 in. dir. bears N 12 E. 9 miles dir; & S W. Oak 15 " " S 12 E. 31 " "
80.00	Set a post for the cor. of sec. 12 & 13 from which W. Oak 10 in. dir. bears S 36 E. 17 miles dir; & S Sugar 12 " " N 32 W. 17 " " Lands timber Sugar, Buck, Oak, & S
North 25.00 40.00 46.00 80.00	On the East Boundary of sec. 2. T. N. 7. N. R. N. 3 N. To a Brook. 50 miles wide, Course S N. Set a post for the cor. of 1/4 sec. from which Buck 15 in. dir. bears N 69 E. 12 miles dir; & S Sugar 14 " " S 77 W. 24 " " To a Brook 10 miles wide, Course E Set a post for the cor. of sec. 1 & 12 from which Sugar 6 in. dir. bears S 58 N. 19 miles dir; & S Oak 14 " " N 80 E. 31 " " Lands & timber same as last mile.
North 6.00 9.00 40.00	On the East Boundary of sec. 1. T. N. 7. N. R. N. 3 N. To a Spring Course East To a Brook. 5 miles wide, Course S E. Set a post for the cor. of 1/4 sec. from which Buck 12 in. dir. bears S 83 N. 3 miles dir; & S

D. N. of N. R. N. 377 2nd Mer. Said^o

50.00 Poplar 18 mi dist: bears N 83 E. 27 miles dist; to
 To a Brook 6 miles wide, Course East
 78.50 Into a tract the Township. Line 13.50 East of the township
 under a post for the cor. of T. 9. 6. 17 N. R. 283 7th from
 which a Dogwood 6 mi dist: bears S 5 E. 17 1/2 miles dist; to
 under a Maple. 18 1/2 " " N 39 E 31 " "
 Good land, Timber Sugar Beech, Oak, etc.

April 9. 1844.

West From the cor. of Towns 7 & 8 N. R. 283 7th. On the South Boundary
 any of sec. 36. T. N. 8. N. R. N. 377
 25.00 To a Brook. - 1/2 mile, Course N. E.
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Sugar 18 mi dist: bears S 74 E. 25 miles dist; and a
 Beech 18 " " " S 70 1/2 E. 14 " "
 80.00 Set a post for the cor. of sec. 35. 136 from which a
 Sugar 14 mi dist: bears N 13 1/2 E. 20 miles dist; and a
 Beech 24 " " " S 10 E. 27 " "
 Good Oak Land.

West On the South Boundary of sec. 35 T. N. 8. N. R. N. 377
 10.00 To a Brook 10 miles wide, Course S. W.
 25.00 " " Sec. 3 " " " S.
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Beech 15 mi dist: bears N 20 E. 20 miles dist; to
 Do. 10 " " " S 26 1/2 E. 20 " "
 48.00 To a Brook 10 miles wide, Course S.
 80.00 Set a post for the cor. of sec. 34 & 35 from which a
 Sugar 16 mi dist: bears S 6 1/2 E. 30 miles dist; and a
 Poplar 14 " " " N 53 1/2 E. 29 " "
 Land hilly and rich; Timber Oak, Sugar & Beech.

West On the South Boundary of sec. 34. T. N. 8. N. R. N. 377.

T. N. 7. N. W. N. 37. 2nd Mer. Ind. 2

26.00	To a Brook 5 miles midy, Course S.
32.50	" " 10 " " " S.
40.00	Set a post for the cor. of 1/4 sec. from which a Ketchy 10 in. air. beam S 28 1/2 W. 7 miles dist; and a Buck 12 " " " N 16 1/2 W. 13 " "
60.00	To a Brook 5 miles midy, Course S.
80.00	Set a post for the cor. to sec. 33. & 34 from which a Sugar. 10 in. air. beam S 44 1/2 W. 7 miles dist; & a Gum 16 " " " S 50 E. 27 " " Killy Oak. Land.

West	On the South Boundary of sec. 33. T. N. 8. N. W. 37
3.00	To a Brook. 4 miles midy, Course S. E.
40.00	Set a post for the cor. of 1/4 sec. from which a Ketchy 16 in. air. beam S 60 1/2 W. 18 miles dist; & a Buck 16 " " " N 7 E. 20 " "
62.00	To a Brook 5 miles midy, Course South.
65.00	" " 3 " " " S. E.
80.00	Set a post for the cor. of sec. 32. & 33. from which a Buck. 15 in. air. beam S 57 E. 23 miles dist; & a L. O. 24 " " " N 72 W. 28 " " Killy Oak. Land.

West	On the South Boundary of sec. 33. T. N. 8. N. W. 37
24.00	To a Brook 3 miles midy, Course S.
40.00	Set a post for the cor. of 1/4 sec. from which a Sugar. 6 in. air. beam S 28 1/2 W. 17 miles dist; & a Gum 16 " " " S 64 E. 31 " "
75.00	To a Spring Course S.
80.00	Set a post for the cor. of sec. 31. & 32 from which a Buck 10 in. air. beam N 74 W. 8 miles dist; & a Do 10 " " " N 83 E. 23 " " Killy Oak Land.

West On the South Boundary of sec. 31. T. N^o 8. N.R. N^o 377
 40.00 Set a post for the cor. of 1/4 sec. from which
 Buck. 16 in dia. bears N 12 W. 14 links out; 1 a
 Do. 16 " " " S 73 E. 31 " "
 80.00 Set a timber post for the cor. of 788 N.R. 384
 Good lands Timber Buck, Sugar & Poplar.

West Boundary

North On the East Boundary of sec. 36. T. N^o 7. N.R. N^o 477.
 11.50 To a Brook 15 links mile, Course W.
 40.00 Set a post for the cor. of 1/4 sec. from which a
 W. Oak 18 in dia. bears S 70 E 7 links out; 1 a
 Do. 20 " " " S 70 W. 16 " "
 51.00 To a Brook 25 links mile, Course W.
 61.50 " " W. Oak 20 in dia. stands in the line
 80.00 Set a post for the cor. of sec. 25 & 26 from which a
 W. Oak. 12 in dia. bears S 23 E. 41 links out; 1 a
 W. Oak. 16 " " " N 67 W. 51 " "
 Lands hilly and poor. Timber Oak, on the 1st p.; Hilly
 poor & stony on the 2nd p. Timber Oak.

North On the East Boundary of sec. 25 T. N^o 7. N.R. N^o 477
 20.00 To a Spring, Course W.
 29.50 To a W. Oak. 21 in dia. stands in the line.
 40.00 Set a post for the cor. of 1/4 sec. from which a
 W. Oak. 16 in dia. bears N 23 E. 15 links out; 2 a
 W. Oak. 18 " " " S 30 E. 45 " "
 80.00 Set a post for the cor. of sec. 24 & 25 from which a
 Hick. 7 12 in dia. bears N 57 E. 4 links out; 2 a
 Poplar. 3 1/2 " " " S 10 E. 18 " "
 Poor hilly stony W. Oak. Lands.

North On the East Boundary of sec. 24 T. N^o 7. N.R. N^o 477

T. N^o 7. N. R. N^o 3. W. 2nd Mer. Sec^o

15.00	To a Brook 3 miles wide, Course N. W.
40.00	Set a post for the cor. of 1/4 Sec. from which a W. Oak. 16 mi. dist. bears S 50. W. 24 miles dist; to Buck. 10 " " " N 21 E. 37 " "
47.00	To a Brook 15 miles wide, Course W.
80.00	Set a post for the cor. of Sec. 13. & 24 from which Dogwood 5 mi. dist. bears N 18 W. 5 miles dist; to Dogwood 4 " " " S 45 E. 8 " "

North	On the East Boundary of Sec. 13. T. N ^o 7. N. R. N ^o 3
10.00	To a Brook 3 miles wide, Course W.
30.00	" " " 3 " " " W.
40.00	Set a post for the cor. of 1/4 Sec. from which a W. Oak. 30 mi. dist. bears N 50 E. 22 miles dist; to " " 16 " " " S 47 W. 30 " "
80.00	Set a post for the cor. of ^{12 & 13} Sec. from which a W. Oak. 18 mi. dist. bears N 15 W. 16 miles dist; to W. Oak. 16 " " " S 17 E. 48 " " Hilly Oak, Sand.

North	On the East Boundary of Sec. 12. T. N ^o 7. N. R. 4 W
30.00	To a Brook 50 lbs wide, Course W.
40.00	Set a post for the cor. of 1/4 Sec. from which a Buck. 16 mi. dist. bears S 5 W. 33 miles dist; to Buck. 15 " " " N 38 W. 37 " "
42.00	To a Brook 3 miles wide, Course S. W.
80.00	Set a post for the cor. of Sec. 11 & 12 from which a Sugar. 12 mi. dist. bears N 81 E. 24 miles dist; to W. Oak. 18 " " " N 70 W. 26 " " Sand Hilly; Limber Oak, Buck to

North	On the East Boundary of Sec. 1. T. N ^o 7. N. R. 4 W
8.00	To a Brook. 3 miles wide, Course West

T. N. 7. N.R. N. 3 W. 2nd Mer. Ind.

12.00 To a Poplar 24 mi. dist. stands on the line
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Sugar. 16 mi. dist. bears S 22 E. 10 trees dist; 1 a
 Do. 15 " " " N 47 W. 18 " "
 55.00 To a Beech 3 trees and, Course W.
 60.00 " " Do. 8 " " " SW
 78.50 Set 1.25 miles East of the Camp post, marked
 at for the cor. of Towns 7 & 8. N. W. 3 & 4 W. from
 which a Beech 24 mi. dist. bears S 76 W. 15 the dist
 and an Oak 24 " " " S 78 E. 32 " "
 Lands with hills; Timber Sugar Beech & Poplar

Surveyed by
 Alexander Wolmuth, C.S.

Subdivisions

North
 1.00 To a Spring Course East
 40.00 Set a post for the cor. of 1/4 sec. from which a
 B. Oak. 5 mi. dist. bears N 10 W. 10 the dist; 1 a
 Logwood 4 " " " S 67 E. 18 " "
 80.00 Set a post for the cor. of sec. 25, 26, 35 & 36. from which a
 Sugar. 12 mi. dist. bears N 62 E. 15 the dist; 1 a
 Logwood 4 " " " S 72 W. 18 " "
 Lands hilly; Timber Oak, Hickory.

East
 33.00 To a Beech 75 trees and, Course S. E.
 40.00 Set a temp. post for the cor. to 1/4 sec.
 65.00 To a Beech 20 trees and, Course S.
 80.00 Intersect the N. 3 line 8 miles South of the post cor.
 of sec. 25 & 36
 Lands soil and timber same as last mile.

D. N^o 7. N.R. N^o 3. W. 2nd Mer. Ind^o

West	On the true line between Sed. 25 & 36. T. N ^o 7. N.R. N ^o 37.
40.00	Set the temporary post at the av. dist on the true line for the cor. of $\frac{1}{4}$ sec. from which a Sugan. 12 in dir: bears S 81 E. 19 lbs dist; δ α Elev 30 " " " N 32 7. 34 " "
80.00	To the post cor. of Sed. 25, 26, 35 & 36.
North	Return Sed. 25 & 26. T. N ^o 7. N.R. N ^o 37.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Dum 20 in dir: bears South 24 lbs dist; δ α Sugan. 10 " " " S 2 E. 28 " "
80.00	Set a post for the cor. of Sed. 23, 24, 25, & 26 from which at Beach. 5 in dir: bears N 5 E. 10 lbs dist; δ α D. a. 25 " " " S 5 7. 10 " " Sando Ariz ando timber same as last mile.
East	On a random line between Sed. 24 & 25. T. N ^o 7. N.R. N ^o 37.
28.00	To a Brook 50 links wide, Corner S. M.
40.00	Set a temporary post for the cor. of $\frac{1}{4}$ sec.
80.00	Then set the N. S. line. 12 lbs South of the post, cor. of Sed. 24 & 25 Sando Ariz & timber same as last mile.
West	On the true line between Sed. 24 & 25. T. N ^o 7. N.R. N ^o 37.
40.00	Set the temporary post at the av. dist on the true line for the cor. of $\frac{1}{4}$ sec. from which a Sugan 15 in dir: bears S 70 E. 35 lbs dist; δ α N. Walnut 15 " " " N 8 7. 20 " "
80.00	To the post cor. of Sed. 23, 24, 25 & 26.
North	Return Sed. 23 & 24. T. N ^o 7. N.R. N ^o 37.
12.50	To a Brook. 50 links wide, Corner S. E.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a

T. N. 7. N. R. No. 37. 2nd Mer. S. 4

Maple 10 in dia: bears N46 W. 8 lbs due; 8 1/2
 Ironwood 5 " " " S29 W. 23 " "
 67.50 To a Brook 50 lbs side, Comes S. W.
 80.00 Set a post for the cor. of sec. 13, 14, 23, & 24 from which a
 Oak 12 in dia: bears S74 E. 15 lbs due; and a
 Oak 12 " " " N70 W. 16 " "
 Sand soil and timber same as last mile.

Cash On a Rem arm line between Sec. 13 & 24 T. N. 7. N. R. 37.
 1.00 To a Brook 50 lbs side, Comes S.
 40.00 Set a temp. post for the cor. of 74 sec.
 65.50 To a Spring Comes South.
 79.44 Intro cut the N & S line 50 lbs South of the post
 cor of sec 13 & 24 Sand soil and timber same
 as last mile

West On the same line between Sec. 13 & 24 T. N. 7. N. R. No. 37.
 39.75 Set the temp. post at the av. due on the same line
 for the cor. of 74 sec. from which a
 Maple 8 in dia: bears S31 W. 13 lbs due; 8 1/2
 Oak 15 " " " N9 W. 16 " "
 79.44 To the post cor. of sec. 13, 14, 23 & 24

North Between Sec. 13 & 14 T. N. 7. N. R. No. 37.
 40.00 Set a post for the cor. of 74 sec. from which a
 Oak 4 in dia: bears S9 E. 17 lbs due; 8 1/2
 Walnut 8 " " " N43 W. 10 " "
 80.00 Set a post for the cor. of sec. 11, 12, 13, & 14 from which a
 Beech 14 in dia: bears S1 E. 34 lbs due; 8 1/2
 Oak 14 " " " East. 22 " "
 Sand soil and timber same as last mile.

East On a Rem arm line between Sec. 12 & 13. T. N. 7. N. R. 37

T. No. 7 N.R. N. 37. 2nd Mer. Ind. a.

35.50 To a Brook 50 lbs wide, Course S.
 40.00 Set a temp. post for the cor. of 14 sec.
 79.50 Enter set the N.S. line 25 lbs South of the post
 cor. of sec. 12 & 13.
 Sunde set and to timber same as last mile.

West On the two line between Sec. 12 & 13. T. No. 7 N.R. N. 37
 39.75 Set the temp. post at the cor. on the two line
 for the cor. to 1/4 sec. from which
 Sugar 14 in. dia. bears South 1 lb. dist;
 79.50 To the post cor. of sec. 11, 12, 13, & 14

North Petron Sec. 11 & 12 T. No. 7 N.R. N. 37.
 40.00 Set a post for the cor. of 14 sec. from which
 Beech 15 in. dia. bears S 46 N. 23 lbs dist; & a
 Hoopwood 3 " " N 5 E. 13 " "
 80.00 Set a post for the cor. of sec. 1, 2, 11, & 12 from which
 Heider 8 in. dia. bears N 23 N. 7 lbs dist; & a
 Do. 15 " " S. 40 E. 12 " "
 Sunde set and to timber same as last mile.

East On a line dem line between Sec. 1 & 12 T. No. 7 N.R. N. 37
 40.00 Set a temp. post at cor. of 14 sec.
 79.78 Enter set the N.S. line 21 lbs S. of the post cor. of
 Sec. 1 & 12. Sunde set and to timber same as last mile

West On the two line between Sec. 1 & 12 T. No. 7 N.R. N. 37
 39.89 Set the temp. post at the cor. on the two line
 for the cor. to 1/4 sec. from which
 Beech 10 in. dia. bears N 3 N. 9 lbs dist; & a
 Do. 3 " " " S 21 E. 11 " "
 79.78 To the post cor. of sec. 1, 2, 11, & 12

T. N. 7. N. R. N. 37. 2nd Mer. Ind. 1)

North
 34.00 Between Sec. 1 & 2 T. N. 7. N. R. N. 37
 To a Spring Course S. W.
 40.00 Set a post for the cor of 1/4 sec. from which a
 W. Bch. 20 mi. dir. bears N 37 E. 29 lbs dist; & a
 Sugar. 15 " " " S 197. 20 " "
 80.00 Intersect the N. Boundary, 108 links East of the post
 cr. of sec. 35. 36. T. N. 8. N. R. N. 37.) & set a
 post for the cr. of sec. 1 & 2 from which a
 Sugar. 12 mi. dir. bears N 6 E. 18 lbs dist; & a
 Dogwood 4 " " " S 587. 21 " "
 Sande soil and timber same as last mile.

North
 40.00 Between Sec. 34 & 35 T. N. 7. N. R. N. 37.
 Set a post for the cor of 1/4 sec. from which a
 W. Bch. 7 mi. dir. bears S 477. 13 lbs dist; & a
 Do. 12 " " " S 43 E. 26. " "
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which
 a N. Bch. 8 mi. dir. bears S 62 E. 15 links dist; & a
 W. Oak. 12 " " " N 76. 7. 31 " "
 Sande hilly timber Oak & Hickory

East
 40.00 On a Random line between Sec. 26. 35 T. N. 7. N. R. N. 37
 Set a temp. post for the cr. of 1/4 sec.
 80.00 Intersect the N. S. line 18 lbs. North of the post cr. of
 Sec. 25. 26. 35 N. 36
 Sande soil and timber same as last mile.

West
 40.00 On the true line between Sec. 26. & 35 T. N. 7. N. R. N. 37.
 Set the temp. post at the even dist; on the true line
 for the cor of 1/4 sec. from which a
 W. Oak. 12 mi. dir. bears N 54 E. 27 lbs dist; & a
 Do. 10 " " " S 327. 37 " "
 80.00 To the post cr. of sec. 26. 27. 34. & 35.

D. No. 7 N.R. No. 3 W. 2^d Mer. (Ind.)

North	Return Sec. 26, 27. T. No. 7. N.R. No. 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which a Run 8 in dir: bear S 8 E. 40 lbs dist; to Logwood 8, " " S 52 E. 11, "
50.00	Set a post for the cor. of Sec. 22, 23, 26, & 27 from which N. Oak 18 in dir: bear S 28 E. 30 lbs dist; to Hack 7 9, " " N 25 W. 9, " Sands soil & timber same as last mile.
East	On a Random line between Sec. 23 & 26. T. No. 7. N.R. 3 W.
18.50	To a Brook 6 units midy, Course S.
40.00	Set a trap: post at the corner of 1/4 sec.
45.00	To the above brook. 6 lbs midy, Course N 6.
80.85	Intersect the N. S. line at the post cor. of Sec. 23, 24, 25 & 26 Sands soil & timber same as last mile.
West	On the town line between Sec. 23 & 26. T. No. 7. N.R. 3 W.
42.42 1/2	Set the trap: post at the cor. dist on the town line for the cor. to 1/4 sec. N. Hack 7 1/2, in dir: stands for the cor. to 1/4 sec.
80.85	To the post cor. of Sec. 22, 23, 26, 27.
North	Return Sec. 22, & 23. T. No. 7. N.R. No. 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which a N. Oak. 10 in dir: bear S E. 8 units dist; to Hack 7 10, " " South 6, "
75.00	To a Spring, Course N. E.
80.00	Set a post for the cor. of Sec. 14, 15, 22, & 23. From which a Beech. 24 in dir: bear N 6 W. 18 units dist; to Ha 7, " " S 9 E. 24, " Sands soil and timber same as last mile.
East	On a Random line between Sec. 14 & 23. T. No. 7. N.R. 3 W.

T. N. 7. N. R. N. 37. 2nd Mer. Ind. 2

40.00 Set a temp. post for the cor. of 7/4 sec.
 43.00 To a Brook - 1/2 mile, Corner S.E.
 80.10 Intersect the N+S line, 12 links South of the post cor.
 Sec. 13, 14, 23, 24
 Sand soil and timber same as last mile.

West On the new line between Sec. 14 & 23, T. N. 7. N. R. N. 37.
 45.55 Set the temp. post at the av. dist. on the true line for
 the cor. of 7/4 sec. From which a
 Beech 7 in dia: bears N 24 N. 5 the dist: 10
 Gum 5 " " " N 36 E. 4 " "
 80.10 To the post cor. of sec. 14, 15, 22 & 23.

North Between Sec. 14 & 15, T. N. 7. N. R. N. 37.
 40.50 Set a post for the cor. of 7/4 sec. From which a
 N. Oak 10 in dia: bears S 53 W. 20 the dist: 10
 Hickory 10 " " " N 76 W. 24 " "
 57.00 To a B. Oak 20 in dia: stands in the line.
 80.00 Set a post for the cor. of sec. 10, 11, 14 & 15 from which a
 N. Oak 20 in dia: bears S 13 W. 15 the dist: 10
 Do. 10 " " " N 11 W. 28 " "
 Sand soil and timber same as last mile.

East On a Random line between Sec. 11 & 14 T. N. 7. N. R. N. 37.
 40.00 Set a temp. post for the cor. of 7/4 sec. From
 79.45 Intersect the N+S line at the post cor. of sec. 11, 12, 13 &
 14. Sand soil and timber same as last mile.

West On the true line between Sec. 11 & 14 T. N. 7. N. R. N. 37.
 39.75 Set the temp. post at the av. dist. on the true line
 for the cor. of 7/4 sec. From which a
 Beech 20 in dia: bears N 86 E. 10 the dist: 10
 Hackberry 5 " " " N 62 W. 20 " "

T. N. 7. N. R. N. 37th 2nd Mer. (Sec. 2)

79.45	To the post cor. of Sec. 10, 11, 14, & 15.
North	Between Sec. 10 & 11 T. N. 7. N. R. N. 37 th .
40.00	Set a post for the cor. of 1/4 Sec. from which a Sassafras 8 in. diam. bears S 15 E. 9 lbs dist; & a Oak 8 " " " N 27 W 17 " "
80.00	Set a post for the cor. of Sec. 2, 3, 10 & 11 from which a W. Oak 10 in diam. bears N 77 W. 20 lbs dist; & a Oak 17 " " " N 4 E. 7 " " Sound soil and timber same as last mile.
East	On a Random line between Sec. 2 & 11 T. N. 7. N. R. N. 37 th .
40.00	Set a timber post for the cor. of 1/4 Sec. from set
79.00	Intersect the N. B. line 95 lbs South of the post cor. of Sec. 1, 2, 11, & 13 Sound soil and timber same as last mile.
West	On the true line between Sec. 2 & 11 T. N. 7. N. R. N. 37 th .
39.50	Set the timber post at the av. dist. on the true line for the cor. to 1/4 Sec. from which a Beech 12 in diam. bears N 12 W. 5 lbs dist; & a Oak 10 " " " N 4 W. 50 " "
79.00	To the post cor. of Sec. 2, 3, 10 & 11
North	Between Sec. 2 & 3 T. N. 7. N. R. N. 37 th .
19.50	To a W. Oak 36 in diam. stands on the line.
40.00	Set a post for the cor. of 1/4 Sec. from which a Sugar 15 in. diam. bears S 23 E. 5 lbs dist; & a Oak 18 " " " N 30 W. 10 " "
52.00	To a Brook 15 ft wide, Corner C.
84.11	Intersect the N. Boundary 192 links East of the post cor. of Sec. 34 & 35 T. N. 8. N. R. N. 37 th . at a Dogwood 5 in. diam. which stands for the cor. of Sec. 2 & 3.

T. N^o 7. N.R. N^o 377. 2nd Mer. 1st Sec. 9

Grade rolling; East thin. Timber Oak, & Hick^o

North Return Sec. 33 & 34 T. N^o 7. N.R. N^o 377.
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Wick 8 in. dia. bears S 89 E. 20 links dist; 15
 Do. 10 " " " S 47 N. 31 " "

80.00 Set a post for the cor. of sec. 27, 28, 33 & 34 from which a
 W. Oak. 18 in. dia. bears S 38 N. 11 links dist; 15
 " " 15 " " " N 9 E. 27 " "
 Sanderhillby; Timber Oak, & Hick^o

East On a Roubidoux line between Sec. 27 & 34 T. N^o 7. N.R. N^o 377

40.00 Set a temp^l post for the cor. of 1/4 sec.
 80.00 Intersect the N. 55 line 10 links South of the post cor. of
 Sec. 26, 27, 33 & 34.
 Sanderhillby and timber same as last mile.

West On the same line between Sec. 27 & 34 T. N^o 7. N.R. N^o 377

40.00 Set the temp^l post at the av. dist in the same line
 for the cor. of 1/4 sec. from which a
 Sugar. 10 in dia. bears N 62 N. 10 links dist; 15
 Do. 6 " " " S 46 E. 14 " "

80.00 To the post cor. of sec. 27, 28, 33 & 34.

North Return Sec. 27, 28 T. N^o 7. N.R. N^o 377.

40.00 Set a post for the cor. cor. of 1/4 sec. from which a
 Gum 4 in. dia. bears N 53 N. 9 links dist; 15
 Do. 10 " " " N 51 E. 20 " "

80.00 Set a post for the cor. of sec. 26, 27, 28 from which
 an Ironwood 6 in dia. bears N 9 N. 4 links dist; 15
 Gum. 14 " " " S 2 E. 35 " "
 Sanderhillby and timber same as last mile.

T. No. 7. N.R. No. 3. W. 2nd Mer. (Sec. 9)

East	On a Random line between Sec. 22 & 27 T. No. 7. N.R. 3 W.
40.00	Set a temp. post at the cor. of 1/4 sec.
80.27	Intersect the N+S line 58 miles South of the post cor. of sec. 22, 23, 26, 27 Sands soil & timber same as last mile.
West	On the true line between Sec. 22 & 27 T. No. 7. N.R. 3 W.
40.13 1/2	Set the temp. post at the avor. dish; on the true line for the cor. of 1/4 sec. from which a Logwood 3 mi. dist. bears S 56 E. 14 mi. dish; & a Oak 10 " " " N 80 W. 3 " "
80.27	To the post cor. of sec. 21, 22, 27 & 28.
North	Between Sec. 21 & 22. T. No. 7. N.R. No. 3 W.
5.00	To a Brook 10 miles under Course S. W.
40.00	Set a post for the cor. of 1/4 sec. from which a Oak 12 mi. dist. bears S 54 W. 17 mi. dish; & a Ash 6 " " " N 54 E. 2 " "
80.00	Set a post for the cor. of sec. 15, 16, 21 & 22 from which a Logwood 4 mi. dist. bears N 44 E. 18 miles dish; & a Oak 7 1/2 " " " S 62 W. 7 " " Sands, hilly and Bushy Timber Oak & Hickory.
East	On a Random line between Sec. 15 & 22 T. No. 7. N.R. 3 W.
40.00	Set a temp. post for the cor. of 1/4 sec.
80.00	Intersect the N+S line 12 mi. South of the post cor. of sec. 14, 15, 22, & 23 Sands soil and timber same as last mile.
West	On the true line between Sec. 15 & 22 T. No. 7. N.R. 3 W.
40.00	Set the temp. post at the avor. dish on the true line for the cor. of 1/4 sec. from which a Oak 24 mi. dist. bears S 39 E. 15 mi. dish; & a

T. No. 7. N. R. No. 3 T. 2nd Mer. (Ind. 4)

80.00	Bush 12 mi. dist. bears N47W. 8 miles dist; To the post cor. of sec. 15, 16, 21, & 22
North 40.00	Return Sec. 15 & 16 T. No. 7. N. R. No. 3 T. Set a post for the cor. of 1/4 sec. from which a N. Oak. 15 mi. dist. bears S62W. 13 miles dist; 1/4 Ann 8 " " " S81W. 39 " "
80.00	Set a post for the cor. of sec. 9, 10, 15 & 16 from which a Mulberry 4 mi. dist. bears N68E 10 miles dist; & a Sassafras 4 " " " S42E. 16 " " Soils soil and timber same as last mile.
East 40.00 46.00 80.00	On a Random line between Sec. 10, 15 T. No. 7. N. R. 3 T. Set a temp. post for the cor. of 1/4 sec. To a Bush 14 miles (wide), Course N.W. Enter sec. the N.W. line 8 miles North of the post cor. of sec. 10, 11, 14 & 15. Soils soil and timber same as last mile.
West 40.00 80.00	On the true line between Sec. 10 & 15. T. No. 7. N. R. No. 3 T. Set the temp. post at the cor. dist on the true line for the cor. of 1/4 sec. from which a N. Oak. 18 mi. dist. bears N33W. 13 miles dist; 1/4 B. Oak. 20, " " " N85E. 13 " " To the post cor. of sec. 9, 10, 15 & 16.
North 25.00 40.00 80.00	Return Sec. 9 & 10 T. No. 7. N. R. No. 3 T. To a Bush 15 miles wide, Course West. Set a post for the cor. of 1/4 sec. from which a Bush 16 mi. dist. bears N75E. 12 miles dist; & a Do. 10 " " " N78W. 30 " " Set a post cor. of sec. 3, 4, 9 & 10 from which a Bush 15 mi. dist. bears N87W. 9 miles dist; and a

I. No. of N.R. No. 371. 2nd Mer. (Ind. 2)

Buck. 5 mi. dist. bears S 46-77. 28 mi. dist;
Sand & timber same as last mile

East On the same line between Sec. 3 & 10 T. N. 7. R. N. 371.
40.00 Set a timber post for the cor. of 1/4 sec.
41.00 To a Buck 10 miles wide, Course —
80.00 Into set the N & S line 20th South of the post cor. of
Sec. 2, 3, 10 & 11. Same as same

West On the same line between Sec. 3 & 10 T. N. 7. R. N. 371.
40.00 Set the timber post at the corner dist; on the same line for
the cor. to 1/4 sec. from which
Maple 12 mi. dist. bears N 77° E. 8 mi. dist; 1st sec
Oak 4 " " " S 87° 41' 41 " "
80.00 To the post cor. of Sec. 3, 4, 9 & 10.

North Between Sec. 3 & 4 T. N. 7. R. N. 371.
40.00 Set a post for the cor. of 1/4 sec. from which
Buck. 15 mi. dist. bears S 22° E. 23 mi. dist; 1st sec
Maple 15 " " " N 59° 19' 19 " "
84.01 Into set the N & S line 308 mi. East of the post cor.
of Sec. 33 & 34 T. N. 8. R. N. 371. at a Buck 10 mi
dist. which stands for the cor. of Sec. 3 & 4
Sand soil and timber same as last mile.

North Between Sec. 32 & 33. T. N. 7. R. N. 371.
40.00 Set a post for the cor. of 1/4 sec. from which
Buck 12 mi. dist. bears S 41° 71' 12 mi. dist; and a
Dogwood 4 " " " S 34° E. 20 " "
80.00 Set a post for the cor. of Sec. 28, 29, 32 & 33 from which
Sugar 15 mi. dist. bears N 64° E. — like dist; 1st sec
Maple 5 " " " West 12 " "
Same as setting; with them; Timber Oak & Hickory.

T. N. 7. N.R. N. 37. 2nd Mar. (Sun.)

East On a random line between Sec. 28 & 33. T. N. 7. N.R. 37.
 40.00 Set a temporary post for the cor. of the 1/4 sec.
 80.00 Intersect the N & S line 18 miles South of the post cor. of
 Sec. 27, 28, 33, & 34
 Sand soil and timber same as last mile.

West On the true line between Sec. 28 & 33. T. N. 7. N.R. 37.
 40.00 Set the temporary post at the av. dist. on the true line
 for the cor. of 1/4 sec. from which a
 W. Oak. 6 mi. dist. bears S 81 E. 17 miles dist; 19
 Sassafras 6 " " S 60 71. 16 " "
 80.00 To the post cor. of Sec. 28, 29, 32, & 33.

North Between Sec. 28 & 29 T. N. 7. N.R. N. 37.
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Beech. 18 mi. dist. bears S 67. 27 miles dist; and so on
 Dogwood 4 " " N 56 71. 10 " "
 80.00 Set a post for the cor. of Sec. 20, 21, 28 & 29 from which
 a Hick. 8 mi. dist. bears N 68 E. 17 miles dist; 19
 Q. 18 " " S 21 E. 9 " "
 Sand soil and timber same as last mile.

East On a random line between Sec. 21 & 28 T. N. 7. N.R. 37.
 40.00 Set a temporary post for the cor. of 1/4 sec.
 80.00 Intersect the N & S line 10 miles South of post cor. of
 Sec. 21, 22, 27, & 28
 Sand soil and timber same as last mile

West On the true line between Sec. 21 & 28 T. N. 7. N.R. N. 37.
 40.00 Set the temporary post at the av. dist. on the true line for
 the cor. of the 1/4 sec. from which a
 Beech 10 mi. dist. bears N 82 E. 13 miles dist; 19
 Ironwood 3 " " " S 6 E 11 " "

T. N^o 7. N.R. N^o 3 (N^o 2nd Mer. (Ind.^o))

80.00	To the post corner of sec. 20, 21, 28, & 29.
North	Return Sec. 20 & 21 T. N ^o 7. N.R. N ^o 37 th .
40.00	Set a post for the cor. of 1/4 sec. from which Dogwoods 6 in. diam. bears S 87 th . 39 in. dist; & a W Oak. 12 " " " S 60 E. 22 " "
70.00	To a Brook 12 miles wide, Corner N. W.
80.00	Set a post for the cor. of sec. 16, 17, 20, & 21 from which Poplar 8 in. diam. bears N 76 E. 8 in. dist; and so Sallee 8 " " " S 21 W. 12 " " Sand soil and timber same as last mile.
East	On a Random line between Sec. 16 & 21 T. N ^o 7. N.R. N ^o 37 th .
40.00	Set a temporary post for the cor. of 1/4 sec.
79.84	Enter sec. the N & S line at the post cor. of sec. 15, 16, 21, & 22, Sand soil and timber same as last mile.
West	On the true line between Sec. 16 & 21 T. N ^o 7. N.R. N ^o 37 th .
39.99	Set the temporary post at the corner, and on the true line for the cor. to the 1/4 sec. from which W Oak. 12 in. diam. bears N 16 W. 5 in. dist; & a Dogwoods 2 1/2 " " " S 16 W. 13 " "
79.84	To the post cor. of sec. 16, 17, 20, & 21.
North	Return Sec. 16 & 17 T. N ^o 7. N.R. N ^o 37 th .
40.00	Set a post for the cor. of 1/4 sec. from which Dogwoods 5 in. diam. bears N 40 E. 9 in. dist; & a Hick. 15 " " " N 81 W. 27 " "
80.00	Set a post for the cor. of sec. 8, 9, 16, & 17 from which an Ash 10 in. diam. bears N 33 E. 9 in. dist; & a W. 7 " " " S 42 E. 23 " " Sand soil and timber same as last mile.

377

T. N^o. 7. N.R. N^o. 377. 2nd Mer. Sec^o.

East
 1.00 On a Random line between Sec 9 & 16 T. N^o. 7. N.R. 377
 To a Spring, comes North.
 40.00 Set a temporary post for the cor. of 1/4 sec.
 80.00 Enter cut the N & S line 20 miles South of the post cor.
 of sec. 9. 10. 15 & 16.
 Sand soil and timber same as last mile.

West
 40.00 On the true line between Sec. 9 & 16 T. N^o. 7. N.R. 377.
 Set the temporary post at the avor. dish on the true line
 for the cor. of 1/4 sec. from which a
 Maple 7 mi. dist. bears N 46 E. 5 1/2 miles dish, r 2
 N. Oak 10 " " " S 37 E. 12 " "
 80.00 To the post set for the cor. of sec. 8. 9. 16 & 17.

North
 15.00 Between Sec. 8 & 9 T. N^o. 7. N.R. N^o. 377.
 To a Spring Comes East.
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Sugar. 8 mi. dist. bears S 47 E. 3 1/2 miles dish, r 2
 Log wood 3 " " " S. 55 W. 7 " "
 57.00 To a Brook 57 miles wide, Comes W.
 80.00 Set a post for the cor. of sec. 4. 5. 8 & 9 from which a
 Ash. 15 mi. dist. bears S 74 E. 11 miles dish, r 2
 Hick. 18 " " " N 67 W. 12 " "
 Sand &c. same as last mile.

East
 40.00 On a Random line between Sec. 4 & 9 T. N^o. 7. N.R. N^o. 377
 Set a post (temporary) for the cor. to the 1/4 sec.
 80.00 Enter cut the N & S line 14 miles South of the post cor.
 of sec. 3. 4. 9 & 10.
 Sand soil and timber same as last mile.

West
 40.00 On the true line between Sec. 4 & 9 T. N^o. 7. N.R. N^o. 377.
 Set the temporary post at the avor. dish on the true line

V. D. No. 7. N.R. No. 3. W. grade Mer. (See)

For the cor. of 74 cu. from which a
 Beech 20 mi. dist. bears S 20 N. 20 mi. dist; 1 2
 Do. 18 " " " N 46 E. 30 " "
 80.00 To the post on of sec. 4, 5, 8, & 9.

North Return Sec. 4 & 5 T. N. 7. R. N. 37.
 40.00 Set a post for the cor. of 74 cu. from which a
 Beech 20 mi. dist. bears S 27 N. 24 mi. dist; 1 2
 Do. 20 " " " N 12 E. 23 " "
 85.54 Intersect the N. Boundary 3.74 mi. East of the
 spot set for the cor. of sec. 32 & 33 T. N. 8. R. N. 37.
 and set a post for the cor. of sec. 4 & 5 from which
 Sugar 15 mi. dist. bears South 11 mi. dist; 1 2
 Beech 4 " " " N 84 N. 5 " "
 Same to same as the last one.

North Return Sec. 31 & 32 T. N. 7. R. N. 37.
 4.00 To a Brook 20 mi. wide, Course S. N.
 40.00 Set a post for the cor. of 74 cu. from which
 Hick 10 mi. dist. bears S 37 N. 4 mi. dist; 1 2
 Ash 8 " " " S 20 E. 26 " "
 80.00 Set a post for the cor. of sec. 29, 30, 31 & 32 from which
 Gum 12 mi. dist. bears N 54 E. 13 mi. dist; 1 2
 R. Oak 12 " " " S 36 N. 45 " "
 Same to same as the last one.

East On a Run down line between Sec. 29 & 32 T. N. 7. R. N. 37.
 40.00 Set a temporary post for the cor. of 74 cu.
 81.56 Intersect the N. B. line at the post cor. of sec. 28, 29, 32
 & 33. Same to same as the last one.

West On the true line between Sec. 29 & 32 T. N. 7. R. N. 37.
 40.28 Set the temporary post at the cor. with the true line for the

	<p>cor. of $\frac{1}{4}$ sec. from which a Log road 8 mi. dist. bears S14 E. 7 links dist; to Keeley 8 " " " S47 W. 32 " "</p> <p>80.56 To the post cor. of sec. 29. 30. 31. & 32.</p>
North	<p>Between Sec. 29 & 30 S. No. 7. N.R. No. 377. 5.00 To a Brook 15 links wide, Corner N. W. 4. 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a Keeley 20 mi. dist. bears North 106 links dist; 80.00 To a W. Oak. 18 mi. dist. which stands for the cor. of Sec. 19. 20. 29. & 31 Same post and timber same as last mile.</p>
East	<p>On a Random line between Sec. 20 & 29 S. No. 7. N.R. No. 377. 40.00 Set a temporary post at the cor. of $\frac{1}{4}$ sec. 80.20 Intersect the N. S. line at the post cor. of sec. 20. 21. 28. & 29. Same post and timber same as last mile.</p>
West	<p>On the true line between Sec. 20 & 29 S. No. 7. N.R. No. 377. 40.10 Set the temporary post at the cor. dist. on the true line for the cor. of $\frac{1}{4}$ sec. from which a Dog road 6 mi. dist. bears N 76 W. 7 links dist; to W. Oak. 24 " " " N 86 E. 29 " " 80.20 To the post cor. of sec. 19. 20. 29 & 30</p>
North	<p>Between Sec. 19 & 20 S. No. 7. N.R. No. 377. 25.00 To a Brook 12 links wide, Corner S. W. 40.00 To a Log road 4 mi. dist. stands for the cor. of $\frac{1}{4}$ sec. 80.00 Set a post for the cor. of sec. 17. 18. 19 & 20 from which a Poplar 20 mi. dist. bears N 8 E. 8 links dist; to Keeley 10 " " " S 13 E. 17 " " Same post and timber same as last mile.</p>

D. No. 7. N.R. No. 377. 2nd & 4th Mer. Sec. 9.

East	On a Random line between Sec. 17. & 20 T. N. 7. N.R. No. 377.
40.00	Set a temp. post at the cor. of 1/4 sec.
80.00	Intersect the N & S line 18 miles South of the post cor. of sec. 16. 17. 20 & 21. Sound soil and timber same as last mile.
West	On the true line between Sec. 17. & 21 T. N. 7. N.R. No. 377.
40.00	Set the temp. post at the aver. dish on the true line for the cor. of 1/4 sec. from which a W. Oak. 24 mi. dist. bears N 57. 14 mi. dist. dish; 8 mi W. Beech. 10 " " " S 30 E. 30 " "
80.00	To the post cor. of sec. 17. 18. 19 & 20.
North	Between Sec. 17. & 18 T. N. 7. N.R. No. 377.
40.00	Set a post for the cor. of 1/4 sec. from which a Hick. 12 mi. dist. bears N 54 E. 11 mi. dist. dish; 10 W. Oak. 18 " " " S 17 E. 22 " "
80.00	Set a post for the cor. of sec. 7. 8. 17. & 18 from which a Logwood 5 mi. dist. bears S 3 E. 23 mi. dist; 10 Hick. 7 10 " " " N 23 W. 23 " " Sound soil and timber same as last mile.
East	On a Random line between Sec. 8. & 17 T. N. 7. N.R. No. 377.
40.00	Set a temp. post for the cor. of 1/4 sec.
80.00	Intersect the N & S line at the post cor. of sec. 8. 9. 16 & 17 Sound soil and timber same as last mile.
West	On the true line between Sec. 8. & 17 T. N. 7. N.R. No. 377.
40.00	Set the temp. post at the aver. dish on the true line for the cor. of 1/4 sec. from which a Logwood 4 mi. dist. bears N. 12. W. 13 mi. dist; 7 mi Oak 6 " " " S 4 E. 12 " "
80.00	To the post cor. of sec. 7. 8. 17. & 18.

T. N. 7. N. R. N. 37. 2nd Mer. (Sec. 4)

North	Return Sec. 7 & 8 T. N. 7. N. R. N. 37.
40.00	Set a post for the cor. of Sec. 4 from which a Oak. 20 in. diam. bears N 20 W. 90 links dist; 100
75.00	To a Birch 15 links midy. Corner West.
80.00	Set a post for the cor. of Sec. 5, 6, 7 & 8 from which an Ironwood 5 in. diam. bears N 19 E. 20 links dist; 100 Oak 4 " " " " S 36 W. 7 " " Sands soil & timber same as the last mile.
East	On a Random line between Sec. 5 & 8. T. N. 7. N. R. N. 37.
40.00	Set a timber post at the cor. of 14 sec.
80.00	Intersect the N. S. line 12 links South of the post cor. of Sec. 4, 5, 8, & 9 Sands soil and timber same as the last mile.
West	On a true line between Sec. 5 & 8. T. N. 7. N. R. N. 37.
40.00	Set the timber post at the avor. dist. on the true line for the cor. of 14 sec. from which a Birch. 12 in. diam. bears N 37 W. 21 links dist; 100 Poplar. 20 " " " " S 80 E. 9 " "
80.00	To the post cor. of Sec. 5, 6, 7 & 8.
North	Return Sec. 5 & 6 T. N. 7. N. R. N. 37.
36.00	To a Poplar. 40 in. diam. stands on the line.
40.00	To a Sugar. 12 in. diam. which stands for the cor. to the 14 sec.
85.23	Intersect the N. Boundary 373 links East of the post cor. of Sec. 31 & 32. T. N. 8. N. R. N. 37. & set a post for the cor. of Sec. 5 & 6. from which a Birch. 5 in. diam. bears S 8 E. 29 links dist; 100 Poplar. 30 " " " " N 20 W. 23 " " Sands soil and timber same as last mile.
West	Return Sec. 6 & 7 T. N. 7. N. R. N. 37.

T. N. 7. N.R. N. 3. W. 2nd Mer (Sud. 2)

40.00 Set a post for the cor. of 1/4 sec. from which a
 Birch 14 in. dia: bears S44E. 12 1/2 lbs dist; tag
 Co. 5 " " N60W. 8 " "
 85.16 Intersect the West Boundary (7 ch. South of the post
 cor. of sec. 10 & 12. T. N. 7. N.R. N. 4 W.) and set a
 post for the cor. of sec. 10 & 14 from which a
 Sugar 5 in. dia: bears N18W. 6 1/2 lbs dist; tag
 Co. 6 " " S27W. 18 " "
 Same soil and timber same as last mile.

West Return Sec. 7 & 18 T. N. 7. N.R. N. 3 W.

40.00 Set a post for the cor. of 1/4 sec. from which a
 W. Oak 20 in. dia: bears S37E. 22 lbs dist; tag
 " " 24 " " " N67W. 50 " "
 84.96 Intersect the West Boundary 340 yards South of the
 post cor. of sec. 12 & 13. T. N. 7. N.R. N. 4 W. & set a
 post for the cor. of sec. 7 & 18 from which a
 Hick 7 1/2 in. dia: bears N43E. 24 lbs dist; tag
 Co. 10 " " " S73E. 22 " "
 Same soil and timber same as last mile.

West Return Sec. 18 & 19 T. N. 7. N.R. N. 3 W.

40.00 To an Ash 4 in. dia: which stands for the cor. to 1/4 sec
 83.80 Intersect the West Boundary 272 yards South of the
 post cor. of sec. 13 & 24. T. N. 7. N.R. N. 4 W. & set a
 post for the cor. of sec. 18 & 19 from which a
 Log wood 5 in dia: bears N14W. 6 lbs dist; tag
 Co. 5 " " " S36W. 8 " "
 Same soil and timber same as last mile.

West Return Sec. 19 & 30 T. N. 7. N.R. N. 3 W.

40.00 Set a post for the cor. of 1/4 sec. from which a
 W. Oak 8 in. dia: bears S10E. 9 lbs dist; tag

T. No. 7. N.R. No. 3. W. 2nd Mer. Ind.

83.30 W. Oak 10 mi. dist. bears N 50 W. 17 lbs. dist;
 Intersect the West Boundary 4.24 miles South of the
 post cor. of sec. 24 + 25. T. No. 7. N.R. No. 4. W. 1 set
 a post for the cor. of sec. 19 + 30 from which a
 North 7 W. mi. dist. bears N 77 E. 13 lbs. dist; ray
 Dogwood Tr. " " S 15 W. 18 " "
 Sand. Kelly; Timber same as last mile

West Return Sec. 30 + 31 T. No. 7. N.R. No. 37
 16.00 To a Brook on White side, Corner S.
 40.00 Set a post for the cor. of 70 sec. from which a
 W. Oak. 12 mi. dist. bears S 77 W. 20 lbs. dist; ray

84.00 Qu. 8 " " " N 7 E. 27 " "
 Intersect the West Boundary, 188 miles South of
 the post cor. of sec. 25 + 36. T. No. 7. N.R. No. 47. Set
 a post for the cor. of sec. 20 + 31 from which a
 W. Oak. 20 mi. dist. bears S 68 E. 18 lbs. dist; ray
 Qu. 8 " " " S 4 W. 22 " "
 Sand. soil and timber same as last mile.

Surveyed by
 Arthur Henric D.S.

I certify that the foregoing transcript of the file
 notes of Township No. 7. N.R. No. 3. W. 2nd
 Mer. in Indiana has been compared with the
 Original notes in this Office and found to be
 correct.

Surveyor General Office,
 Cincinnati, Dec. 15. 1840
 J. S. Peairs
 Sur. Genl.